

AQUADOCTOR MINERAL RO

A PRODUCT OF JAQUE VENTURES



**DELIGHT****PRODUCT SPECIFICATION****Multi Stage Water Purification: Ro + Alkaline.**

Storage Capacity	: 15 Liter.
Production Flow	: 12 to 15 Liter / Hr.
Purification	: Multi Stages
Filter Cartridge	: Sediment, Carbon Filter, Post Filter
Booster Pump	: 100 GPD Heavy Duty.
Membrane	: 80 GPD Hi Tds Work.
Mounting	: Wall Mounting/Table Top
Consumption	: 60w (in Use)
Weight	: 8.100 Kg Approx.
Operating Voltage	: 230V/24V
Input Water Pres. (Min)	: 0.3 Kg / CM ² /10°C
Maximum Duty Cycle	: 75L/Day
Fully Automatic Operation	
Low Pressure Cutoff	

19,499/-**A PRODUCT OF JAQUE VENTURES**

**DELIGHT +****PRODUCT SPECIFICATION****Multi Stage Water Purification: Ro + Alkaline.**

Storage Capacity	:15 Liter.
Production Flow	: 12 to 15 Liter / Hr.
Purification	: Multi Stages
Filter Cartridge	: Sediment, Carbon Filter, Post Filter
Booster Pump	: 100 GPD Heavy Duty.
Membrane	: 80 GPD Hi Tds Work.
Mounting	: Wall Mounting/Table Top
Consumption	: 60w (in Use)
Weight	: 8.100 Kg Approx.
Operating Voltage	: 230V/24V
Input Water Pres. (Min):	0.3 Kg / CM ² /10°C
Maximum Duty Cycle	: 75L/Day
Fully Automatic Operation	
Low Pressure Cutoff	

19,999/-**A PRODUCT OF JAQUE VENTURES**

**STROM****PRODUCT SPECIFICATION****Multi Stage Water Purification: Ro + Alkaline.**

Storage Capacity	: 15 Liter.
Production Flow	: 12 to 15 Liter / Hr.
Purification	: Multi Stages
Filter Cartridge	: Sediment, Carbon Filter, Post Filter
Booster Pump	: 100 GPD Heavy Duty.
Membrane	: 80 GPD Hi Tds Work.
Mounting	: Wall Mounting/Table Top
Consumption	: 60w (in Use)
Weight	: 8.100 Kg Approx.
Operating Voltage	: 230V/24V
Input Water Pres. (Min):	0.3 Kg / CM ² /10°C
Maximum Duty Cycle	: 75L/Day
Fully Automatic Operation	
Low Pressure Cutoff	

18,999/-**A PRODUCT OF JAQUE VENTURES**



25 LPH Ro System

PRODUCT SPECIFICATION

Multi Stage Water Purification : Ro Water Purification

Production Flow	: 24 to 26 Liter / Hr.
Purification	: 5 Stages
Filter Cartridge	: Sediment Cartridge, Granular Activated Carbon, Carbon Block Cartridge , Test Filter Cartridge,
Booster Pump	: 150 GPD Heavy Duty.
Membrane	: 80 GPD (2 Pcs) Hi Tds Work.
Mounting	: Wall Mounting
Consumption	: 60w (in Use)
Weight	: 13.100 Kg Approx.
Operating Voltage	: 230V/24V
Input Water Pres. (Min)	: 0.3 Kg / CM ² /10°C
Maximum Duty Cycle	: 125L/Day

34,999/-

A PRODUCT OF JAQUE VENTURES



50 LPH Ro System

PRODUCT SPECIFICATION

Multi Stage Water Purification : Ro Water Purification

Production Flow	: 48 to 52 Liter / Hr.
Purification	: 5 Stages
Filter Cartridge	: Sediment Cartridge, Granular Activated Carbon, Carbon Block Cartridge , Test Filter Cartridge,
Booster Pump	: 150 GPD (2 Pcs) Heavy Duty.
Membrane	: 80 GPD (4 Pcs) Hi Tds Work.
Mounting	: Wall Mounting
Consumption	: 60w (in Use)
Weight	: 19.900 Kg Approx.
Operating Voltage	: 230V/24V
Input Water Pres. (Min)	: 0.3 Kg / CM ² /10°C
Maximum Duty Cycle	: 250L/Day: 75L/Day

44,999/-

A PRODUCT OF JAQUE VENTURES



120 LPH Ro System

PRODUCT SPECIFICATION

Multi Stage Water Purification : Ro Water Purification

Production Flow	: 90 to 120 Liter / Hr.
Purification	: 5 Stages
Filter Cartridge	: Sediment Cartridge, Granular Activated Carbon, Carbon Block Cartridge , Test Filter Cartridge,
Booster Pump	: 300 GPD (3 Pcs) Heavy Duty.
Membrane	: 300 GPD (3 Pcs) Hi Tds Work.
Mounting	: Wall Mounting
Consumption	: 60w (in Use)
Weight	: 26.300 Kg Approx.
Operating Voltage	: 230V/24V
Input Water Pres. (Min)	: 0.3 Kg / CM ² /10°C
Maximum Duty Cycle	: 500L/Day

89,999/-

A PRODUCT OF JAQUE VENTURES




40-80 COOLER

PRODUCT SPECIFICATION

Chiller Tank	: Stainless Steel, (SS304), Thicknes-0.5mm
Top Lid	: Stainless Steel(SS202 / 204Cu / 304&PC)Thickness - 0.5 MM
Front Panel Top & Bottom	: Stainless Steel(SS202 / 204Cu / 304&PC)Thickness - 0.5 MM
Rear Panel Top & Bottom	: Stainless Steel(SS202 / 204Cu / 304&PC)Thickness - 0.5 MM
Side Panel Both Side	: Stainless Steel(SS202 / 204Cu / 304)Thickness - 0.5 MM
Base Plate & Inner Angle	: GPSP Sheet (Powder Coated) Thickness 1.5mm
Mask	: Stainless Steel(SS202 / 204Cu / 304)Thickness - 0.5 MM
Drip Tray	: Stainless Steel (SS 304) Thickness - 0.5 Mm
Bubble Top Attachment	: No/ Optional
Faucet Material	: Brass(Copper Plated)
No. Of Faucets	: 2
Condenser Tubing	
Used In Evaporator	: Inner Grooved Copper And Hydrophilic Aluminum Fins (Blue)
Condenser Tubing	: Grooved Copper
Legs	: PP
Water Inlet Hose Pipe	: Provided (Food Grade)
Drain Pipe	: Provided
Over Flow Pipe	: Provided
Motor Make	: Marathon (GE Motors) / Anu Motors or Equivalent
Compressor & Make	: Emerson / Tecumseh
Compressor & Refrigerant	: Reciprocating / R-134a / R -22
Dimension	: 590 X 490 X 1200
Net Weight (Approx)	: 50 kg

65,000/-

A PRODUCT OF JAQUE VENTURES



A PRODUCT OF JAQUE VENTURES

H.O. Kh. No. 52/4, Bakhtwarpru, North East Delhi - 110036

B.O. Near Khodasinghi Checkgate beside Mowgli Market Berhampur GM.)-760010

Corp. Off Plot No. 589/4584 Kalinga Vihar Ext. Dura-760010

Website www.jaqueventures.com

Email info@jaqueventures.com